

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv.gov

November 21, 2013

WELL WORK PLUGGING PERMIT

Plugging

This permit, API Well Number: 47-4900803, issued to CONSOLIDATION COAL COMPANY, is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. The above named operator will also file, as required in WV Code 22-6-23, an affidavit on form WR-38 by two experienced persons in the operator's employment and the Oil and Gas inspector that the work authorized under this permit was performed and a description given. Failure to abide by all statutory and regulatory provisions governing all duties and operations here under may result in suspensions or revocation of this permit and in addition may result in civil and/or criminal penalities being imposed upon the operator.

This permit will expire in two (2) years from date of issue. If there are any questions, please free to contact me at (304) 926-0499 ext. 1654.

Chief

Operator's Well No: 3352 (SNODGRASS 1)

Farm Name: PRITCHARD, MILDRED H. HEIRS

API Well Number: 47-4900803

Permit Type: Plugging
Date Issued: 11/21/2013


Promoting a healthy environment.

PERMIT CONDITIONS

West Virginia Code § 22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.



449 - 680 - NOW 049- 803

PHONE 412/685-5100 LESSOR CHARLES SNOGGRASS LEASE NO. **ACRES** ELEVATION L DIV. DIST. TWP OR Marion County FORMATIONS. TOP BOTTOM CAS AT OFLAT WATER AT FORMATIONS TOP BOTTOM CAS AT OIL AT WATER AT CLASSIFICATION DIST. COUNTY 1/0-1201: 14-VA 100' SAND CASING AND TUBING DATA LOCATED WAYNESBURG COAL 100' SAND DATE W/O NO. MAPLETOWN COAL 30' SAND (NINEVAH) \$17E PUT IN DATE PULLED CONTRACTOR REDSTONE COAL SNEE SAND (BLUE MON.) 13" PEH FT. PITTSBURGH COAL GOR, STRAY SAND 10" COMMENCED MURPHY SAND GORDON SAND (THIRD) 2515 8%" COMPLETED AMES LIMESTONE 4th SAND 6%" PURCHASED FROM BAKERSTOWN COAL 4th A SAND 614" DATE PURCHASED L. DUNKARD SAND 5th SAND (McDONALD) 5 3/16" **CUTSIDE SERIAL NO.** COAL 5th A SAND 2638 SOLD TO B. DUNKARD SAND BAYARD SAND (SIXTH) 43 1650 1-80 VITA DATE SOLD UPPER FREEPORT COAL BAYARD STRAY SAND Ç P4/D1 (142) DATE ABANDONED L. FREEPORT COAL BAYARD STRAY STR. SD. 3" DATE PLUGGED U. KITT. COAL **ELIZABETH SAND** ANNUAL ROYALTY \$ M. KITT, COAL 1st WARREN SAND 3.. 3... WORKMEN'S COMP. NOTICE POSTED L KITT. COAL 2nd WARREN SAND DRILLER'S LOG IN FILE VAMPORT LIME SPEECH, STRAY SAND CLARION COAL SPEECHLEY SAND **PACKER DATA COAL DATA BROOKVILLE COAL** SAND OWNER 1st GAS SAND 1st SAND DATE KIND \$12E SET AT MERCER COAL SET ADDRESS 2nd SAND 1st SALT SAND DATE NOTIFIED LOCATION SHEFFIELD SAND 2nd SALT SAND DATE APPROVED LOCATION 1st BRADFORD SAND (BENSON) 3rd SALT SAND 2nd BRADFORD SAND MAXTON SAND 3rd BRADFORD SAND DEPARTMENT OF MINES DATA LITTLE LIME DRL'G PERMIT NO. DATE PENCIL CAVE CASING CEMENTED DAL'G. DPR. PERMIT NO. DATE BIG LIME (KEENER) KANE SAND **BIG INJUN SAND** FROM PLUGGING PERMIT NO. DATE TO SOUAW SAND ELK SAND **DIL DATA** 2nd GAS SAND FREE GAS DATA MURRYSVILLE SAND (BEREA) ORISKANY SAND 3401: TOL Shot 2641 Bot 1 21:4 ANNUAL ALLOWANCE M.C.F. Short 10.03 15 Ft. 1:NO. Cleaned in ADE Shot w 400t. CONSUMER (OT) 3-2 Shell TOTAL DEPTH TOTAL DEPTH 2656 ADDRESS TOTAL DEPTH TOTAL DEPTH PIPE LINE DATA **OPEN FLOW VOLUME & PRESSURE DATA** MINUTES 24 HR. 10 DAY DATE DATE RCL'D FEET RCL'O DATE READING LIQUED **VOLUME** PRODUCING SAND SIZE OPENING TUBING 1 2 3 4 5 15 30 60 R.P. R.P. DATE TURNED IN LINE DATE DISCONNECTED **VOLUME FACTOR DATA** REPAIR AND DRILLING DEEPER SHOOTING RECORD PESENT C/O OR D/D TO HT FRESS. W/G-M/G COMMENCED COMPLETED DATE WG. DATE MEASON BEFORE AFTER

ALEPPO, PENNSYLVANIA 15310

1) Date: October 31, 2013

2) Operator's Well No. 3352

3) API Well No. 47 – 49 - 00803

State County Permit

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

4) SURFACE OWNER(S) TO BE SERVED	5)a) COAL OPERATOR
(a) Name M. H. Pritchard Heirs (c/o Phillip Pritchard)	Name <u>CONSOLIDATION COAL CO.</u> .
Address P. O. Box 108	Address 1 Bridge St.
Mannington, WV 26582	Monongah, WV 26554
(b) Name	(b) COAL OWNER(S) WITH DECLARATION:
111	Name
	Address
(c) Name	
Address	
	(c) COAL LESSEE WITH DECLARATION:
(6) INSPECTOR	Name
Address	Address
Telephone	
 (1) The Application to Plug and Abandon a We parties involved in the work, and describes work order; and (2) The Plat (surveyor's map) showing the well 	the well and its location and the plugging
THE DEAGON VOIL DECEIVED THESE DOCUMENTS	IS THAT YOU HAVE RIGHTS REGARDING THE APPLICATION
	" ON THE REVERSE SIDE OF THE COPY OF THE APPLICATION
	CR, YOU ARE NOT REQUIRED TO TAKE ANY ACTION AT ALL.
and Application and accompanying documents for a permit to Virginia Department of Environmental Protection, with respons the attached From WW-6. Copies of this Notice, the Application of the straightful straig	Code, the undersigned well operator proposes to file or has filed this Notice to plug and abandon a well with the Chief of the Office of Oil and Gas, West ext to the well at the location described on the attached Application and depicted plication, and the plat have been mailed by registered or certified mail or delivery by tain circumstances) on or before the day of mailing or delivery by the Chief.
	WELL OPERATOR Consolidation Coal Company By Ronnie Harsh Its Project Engineer / Agent Address 1 Bridge St. Monongah, West Virginia 26554 Telephone (304) – 534 – 4748
Rome Han	PECEIVED Gas
Subscribed and sworn before me this 3/st day of 0	tober, 20/3 Office of Oil attil Gas
Marion County, State of 11	Notary Public, STATE OF WEST VIRGINIA NOTARY PUBLIC Janet L. Lieving 199 Broadview Avenue Fairmont, WY 26554 My Commission Expires June 13, 2014
My commission expires	Environmen
Oil and Gas Privacy Notice	

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.



FORM WW-4(B) Rev. 2/01

1.) Date:	Octo	ber 31			_, 20	13 .
2.) Operato	r's We	11 No	3.	352		
3.) API We	ll No.	47	-	49	-	00803
		State	(County	,	Permi

STATE OF WEST VIRGINIA DIVISION OF ENVIRONMENTAL PROTECTION OFFICE OF OIL & GAS APPLICATION FOR A PERMIT TO PLUG & ABANDON

	APPLICATION 1	FOR A PERMIT TO PL	UG & ABANDON	
4.) WELL TYPE:	Oil / Gas X / (IF "Gas", Production /	Liquid injection/ Underground storage/	Waste disposal/ Deep	/ / ShallowX
5.) LOCATION:	Elevation:1038.84'	Watershed:Pyles Fork	of Buffalo Creek	•
	District:Mannington 04	County: Marion V4	Quadrangle: Manning	ton 7.5' 457
6.) WELL OPERAT	OR Consolidation Coal Co.		7.) DESIGNATED AGE	NT Ronnie Harsh .
Address _	1 Bridge St.		Address	1 Bridge St.
	Monongah, WV 26554			Monongah, WV 26554 .
8.) OIL & GAS INSI	PECTOR TO BE NOTIFIED		9.) PLUGGING CONTR	ACTOR
Name	Bill Hendershot		Name	
Address _	403 James St.		Address	·····
	Mannington, WV 26582			
		SEE EXHIBIT NO. 1		
				BECEIVED
Notification must be g	given to the district oil and gas inspe	ector 24 hours before permitted v	vork can commence.	RECEIVED ce of Oil and Gas
				NOV 1 2 2013
Work order approved	by inspector	g www	Date	ce of Oil and Gas NOV 12 2013 Value Sartment of Strenmental Protection

EXHIBIT NO.1

From the experience and technology developed since 1970 in plugging oil and gas wells for mining through, Consolidation Coal's Northern West Virginia Operations will utilize one of the following two methods to plug all future wells.

4 ½ VENT PIPE METHOD

- (a) If active well: clean out to total depth and plug back according to state regulations to a minimum of 200 feet below the lowest minable coal seam.
- (b) If abandoned well: clean out to first plug 200 feet below lowest minable coal seam.
- (c) Run 4 ½ casing from surface to a minimum of 200 feet below lowest minable coal seam and circulate 50/50 poz mix cement followed by expanding cement to surface. The expanding cement shall extend from a minimum of 200 feet below minable coal seam to a point 100 feet above.

The 4 ½ will remain open from surface to a minimum of 80 feet below that minable coal seam.

SOLID PLUG METHOD

- (a) If active well: clean out to total depth and plug back according to state regulations to a minimum of 200 feet below lowest minable coal seam.
- (b) If abandoned well: clean out to first plug 200 feet below lowest minable coal seam.
- (c) Circulate through tubing or drill steel an expanding cement plug from a minimum of 200 feet below minable coal seam to a point 100 feet above minable coal.

Circulate through tubing or drill steel 50/50 poz mix from 100 feet above coal seam to surface.

A monument will be installed with API No. and stating "solid plug".

WW-9 Rev. 5/08

P	age	of	
API Number <u>47</u>	049	 00803	
Operator's Well No.	3352		

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

CONSTRUCTION AND RECLAMATION PLAN AND SITE REGISTRATION APPLICATION FORM GENERAL PERMIT FOR OIL AND GAS PIT WASTE DISCHARGE

Operator Name Consolidation Coal Company OP Code 10950
Watershed Pyles Fork of Buffalo Creek Quadrangle Mannington
Elevation 1038.84' County Marion District Mannington
Description of anticipated Pit Waste: N/A
Do you anticipate using more than 5,000 bbls of water to complete the proposed well work? Yes NoX
Will a synthetic liner be used in the pit? If so, what mil.?
Proposed Disposal Method For Treated Pit Wastes: Land ApplicationUnderground Injection (UIC Permit Number)Reuse (at API Number) Off Site Disposal (Supply form WW-9 for disposal location)Other (Explain
Drilling medium anticipated for this well? Air, freshwater, oil based, etc. Freshwater If oil based, what type? Synthetic, petroleum, etc.? Additives to be used? Bentonite, Bicarbonate of Soda
Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. Reused or Disposed (see attached letter) -If left in pit and plan to solidify what medium will be used? Cement, lime, sawdust -Landfill or offsite name/permit number?
I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on August 1, 2005, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable law or regulation can lead to enforcement action. I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine or imprisonment.
Company Official Signature Rome Vand
Company Official (Typed Name) Ronnie Harsh
Company Official Title Project Engineer Office of Oil and Gas
Subscribed and sworn before me this 3/st day of October, 2013 Notary Public on Notary Publ
My commission expires We commission expires June 13, 2014



CONSOL ENERGY Inc.

Consolidation Coal Company Northern West Virginia Operations 1 Bridge Street Monongah, WV 26554

phone: 304-534-4748 fax: 304-534-4739

e-mail: ronnicharale@consolenergy.com

meb: nnw.consolenergy.com

*Name: RONNIE HARSH *title: Project Engineer

January 18, 2010

Department of Environmental Protection Office of OII and Gas 601 57th Street, SE Charleston, WV 25304-2345 Phone: (304) 926-0450 Fax: (304) 926-0452

To Whom It May Concern:

As per the Department of Environmental Protection, Office of Oil and Gas request, Consolidation Coal Company, Northern West Virginia Operations, submits the following procedures utilizing pit waste.

Upon submitting a well work application (without general permit for Oil and Gas Pit Waste Discharge Application), Consolidation Coal Company, Northern West Virginia Operations, will construct no pits, but instead will use mud tanks to contain all drilling muds.

Once the well is completed, that material (minus the cave material) will be trucked to the next well to be plugged or to DEP impoundment facilities number U-46-84, U-78-83, O-1044-91, U-104-83, or U-100-83.


Sincerely,

Roma Nand

Ronnie Harsh Project Engineer

1000-meter Universal Transverse Mercator grid ticks, Fine red dashed lines indicate selected fence and field lines where 'Mannington; WV' Scale: 1" = 0.379Mi 610Mt 2,000Ft, 1 Mi = 2.640", 1 cm = 240Mt

UTM GRID AND 1976 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET



Date



West Virginia Department of Environmental Protection Office of Oil and Gas WELL LOCATION FORM: GPS

API: 47-049-00803	WELL NO.: 3352
FARM NAME: C. A. Snodgrass #1	
RESPONSIBLE PARTY NAME: Leatherwo	ood Inc.
COUNTY: Marion	_DISTRICT: Mannington
QUADRANGLE: Mannington	
SURFACE OWNER: M. H. Pritchard (c/o	Phillip Pritchard)
ROYALTY OWNER: Leatherwood Inc.	
UTM GPS NORTHING: 4,376,785 m	
UTM GPS EASTING: 555,890 m	GPS ELEVATION: 316 m 1038.8 FT
The Responsible Party named above has chosen to preparing a new well location plat for a plugging above well. The Office of Oil and Gas will not act the following requirements:	permit or assigned API number on the
1. Datum: NAD 1983, Zone: 17 North, C	
height above mean sea level (MSL) – 1 2. Accuracy to Datum – 3.05 meters	meters.
3. Data Collection Method:	
Survey grade GPS X: Post Processed D	ifferential
Real-Time Different	
Mapping Grade GPS: Post Processed D	Differential REGEIVED
4 Letter size capy of the tanagraphy m	rential REGEIVED and Gas nap showing the well location; ce of Oil and Gas
the undersigned hereby certify this data is corre	ct to the best of my knowledge and
pelief and shows all the information required by la	aw and the regulations issued and NOV 1 2 2013
prescribed by the Office of Oil and Gas.	
VB 10	WV Department of
(A) 13	Professional Surveyor prironmental 1000
Signature	Title